We claim:-

Inba)

1. A method of delivering an interactive application to a plurality of target platforms, the method comprising providing a set of application components;

10

15

20

converting the set of application components into a plurality of streams of broadcast data, each stream of broadcast data conforming with a respective target platform; and

delivering each stream of broadcast data to its respective target platform.

2. A method according to claim 1 further comprising manually inputting real-time application data;

converting the real-time application data into a plurality of streams of real-time broadcast data, each stream of real-time broadcast data conforming with a respective target platform; and

delivering each stream of real-time broadcast data to its respective target platform.

- 3. A method according to claim 1, further comprising storing the application components and/or real-time application data in a data store; and retrieving the application components and/or real-time application data from the data store before converting it into a stream of broadcast data.
- 4. A method according to claim 1, wherein the step of converting comprises translating, substituting, selecting, time managing, or adapting for different data transmission mechanisms.
- 5. A method according to claim1 1, further comprising receiving and processing return data from one or more of the target platforms.
  - 6. A method according to claim 5 wherein the application comprises a game and the return data comprises game-play
  - 7. A method according to claim 1, wherein each target platform comprises a broadcast network and an application processor, and wherein the delivering step comprises

Subary35

5

15

broadcasting the stream of broadcast data application processor via the broadcast network.

- A method according to claim 7 further comprising interrogating the application processor to determine the data capabilities of the application processor; downloading data from the stream of broadcast data in accordance with the determined data capabilities of the application processor.
- Apparatus for delivering an interactive application to a plurality of darget platforms, the apparatus comprising
- For providing application system set components;

a plurality of broadcast systems interfaces each converting the set of application components into respective stream of broadcast data, conforming with a respective target platform; and

a system for delivering each stream of broadcast data to its respective target \platform.